TECHNICAL SPECIFICATION



Flexinet® Mask FFP2V (822)

Box of 10 / BER122-201-A00



DESCRIPTION

The Flexinet[™] disposable mask has an ergonomic 3D design to fit most face shapes, with extremely low breathing resistance and mesh outer shell to help the mask retain its shape.

• Medium efficiency (94% minimum) filtering.

OPTIONS

Box of 10 (BER122-201-A00)

SAFETY STANDARDS

EN 149



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

SPECIFICATIONS

Classification FFP2 (Filtering Facepiece Particulate)

Usage NR (Non-Reusable)



Activated Carbon Layer No

Maximum Total Inward Leakage (TIL) 8%

UK Assigned Protection Factor 10

 $\overline{\mathbb{Y}}$

Nose Bridge Moulded

Exhalation Valve

Advanced Valve

Metal Free Yes

Filter Shelf Life 5 Years



Product Weight 22g

FEATURES



Comfort

A 360° comfort foam area around the inside of the mask provides a perfect fit.



Advanced Valve

Advanced design valve allows for lower breathing resistance.

RANGE



DOWNLOADS

Image Pack (ZIP)

doc-olympus-800-series-822.pdf (PDF)



P (Protects Against Solid and Liquid Aerosol)



(D) Resistance to dust clogging Yes – D marking = passes optional clogging test

Minimum Filtration Efficiency 94% For FFP2 Rated

Nominal Protection Factor 12

Mask Design Mesh Outer Shell

Toggle Harness adjustment system Yes

Protective Grill

damage to the filter.

Flexible cover to protect and retain the shape of

the mask and protect the wearer against possible

Latex free Yes

Mask Material Polyproproylene



BSI Kitemark Yes



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

