

# TECHNICAL SPECIFICATION



## EVO®3 Micro Peak OneTouch™ Slip Ratchet Vented

White / AJH160-000-100



### DESCRIPTION

The EVO®3 Comfort Plus helmet combines a super strong shell for superior all day protection in the widest range of environments, with the comfort benefits of the new Evolution® 3D Adjustment™ harness system. EVO®3 is a true evolution of the long-established MK®2 and MK®3 helmets. The EVO®3 retains the JSP signature styling while incorporating developments first seen in the EVO®8. Packed full of the latest protection technology and features.

### OPTIONS

**White (AJH160-000-100)**  
Blue (AJH160-000-500)  
Black (AJH160-001-100)  
Green (AJH160-000-300)  
Orange (AJH160-000-800)  
Yellow (AJH160-000-200)  
Red (AJH160-000-600)

### SAFETY STANDARDS

EN 397



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.





















Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 12 Jan 2023 / Copyright 2018 - 2023. JSP Limited. All Rights Reserved.



## SPECIFICATIONS

|  |   |   |  |
|--|---|---|--|
|  | Peak<br>Micro   |  | Impact Resistance<br>50 Joules                           |
|  | Molten Metal<br>Yes   |  | Maximum Temperature<br>+50°C                             |
|  | Minimum Temperature<br>-40°C                                      |  | HDPE Shell<br>Yes  |
|  | Recyclable<br>Shell   |  | Textile<br>Harness                                       |
|  | Depth Adjustment<br>3D Harness                                    |  | Slip Ratchet<br>Slip                                     |
|  | Universal Accessories Slot<br>Yes                                 |  | Ventilation<br>Yes                                       |
|  | Reflective Option<br>Optional                                     |  | Integrated Eyewear<br>Optional                           |
|  | ID card holder<br>Optional  |  | BSI Kitemark<br>Yes                                      |
|  | Optional 2 point chinstrap (EN397 & EN 812 compliant)<br>Optional |  | Optional 4 point chinstrap (EN397 Compliant)<br>Optional |
|  | JSPCheck<br>Yes   |  | Product Weight<br>372g                                   |

## FEATURES



### Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. Available with either the Revolution® wheel ratchet or the OneTouch™ slip ratchet.



### CR2™ Reflective

Using Class RA2, high intensity reflective. CR2™ is the biggest step-up in night time visibility/reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



### Supreme Comfort

A 6-point terylene cradle harness system & Egyptian cotton Chamlon™ sweatband offers unrivalled comfort.



### 3D Adjustment

The comfortable textile harness features unique 1-2-3 point depth settings, offering the most precise fit attainable on an industrial safety helmet.



### Accessories

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors and ear defenders. EVOSpec® Integrated eyewear is also available.



### JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.



### Ventilation Option

Side and rear ventilation for optimum air movement inside the shell, reducing helmet temperatures by an average 2-3 degrees.

## LOGO

## RANGE



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jgpsafety.com / Web: www.jgpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jgpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 12 Jan 2023 / Copyright 2018 - 2023. JSP Limited. All Rights Reserved.





- Front
- Back
- Sides



## VIDEOS

- [www.youtube.com/watch?v=PmDMMktdotQ](http://www.youtube.com/watch?v=PmDMMktdotQ)
- [www.youtube.com/watch?v=LdxMNctXLbg](http://www.youtube.com/watch?v=LdxMNctXLbg)

## DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [doc-invincible-evo3.pdf \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jspsafety.com](mailto:sales@jspsafety.com) / Web: [www.jspsafety.com](http://www.jspsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jspsafety.com](mailto:copyright@jspsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 12 Jan 2023 / Copyright 2018 - 2023. JSP Limited. All Rights Reserved.

