

**Product Datasheet model ultrasonic 9302 245****UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

<b>Product characteristics</b>	<ul style="list-style-type: none"><li>* Panoramic lens shape allows 180° uninterrupted lateral vision</li><li>* Medium-energy impact 'B' (120 m/s)</li><li>* Integrated, indirect ventilation allows air movement directly across the lens</li><li>* Fits comfortably over most prescription spectacles</li><li>* Lens replacement possible</li><li>* High-quality, easily adjustable headband</li></ul>
<b>Technical details</b>	
<b>Frame</b>	<b>Front piece</b>
Material	PP/TPE
Colour	grey/orange

Material	<b>Headband</b>
Features	synthetic headband
Colour	individually adjustable
	orange/grey
	<b>Marking</b>
Manufacturer's ID	W
code	166
Applicable EN norm	3 (drops and splashes of liquid)
Field of use	4 (large dust particles)
	9 (molten material and hot solids)
Impact resistance	B (120 m/s)
Tested acc. to DIN	DIN
No. of certificat. body	0196
Conformity symbol	CE
	<b>Lens</b>
Material	PC
Thickness	2,2 mm
Coating	supravision excellence
Colour	clear
Optical class	1
	<b>Marking</b>
Filter	2-1,2 (DIN EN 170)
Manufacturer's ID	W
code	
Optical class	1
Impact resistance	B (120 m/s)
Field of use	9 (molten material and hot solids)
Surface resistance to	K
fine particles	
Antifog	N
Tested acc. to DIN	DIN
Conformity symbol	CE

**Miscellaneous**

Weight

80 g

Packing

4 goggles per box

72 pieces in one carton

Standards

DIN EN 166 + DIN EN 170