

Product Datasheet model i-vo 9160 045



**UVEX ARBEITSSCHUTZ GMBH,
Würzburger Str. 181-189, D-90766 Fürth**

Product characteristics	* Duo-spherical lens * Duo component technology * Extremely comfortable for all-day wear * Shock absorbing brow guard * Indirect ventilation * Quattroflex patented temple * Adjustable temple length and lens inclination * Grey lens tint ensures perfect colour recognition
Technical details Frame Material Colour Material Features Colour	Front piece TPU/TPE black/green Side piece PC length adjustability black

Material	Temple
Features	TPU/TPE
Colour	quattroflex temple
	black/green
	Marking
Manufacturer's ID code	W
Applicable EN norm	166
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Conformity symbol	CE
No. of certificat. Body	0196
Lens	
Material	PC
Thickness	3 mm
Coating	infradur plus
Colour	grey
	Marking
Filter	5 (DIN EN 169)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE

Miscellaneous

Weight

33 g

Packing

5 spectacles per box

200 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 169